



Contents of *Aquaculture*, Volume 217

VOL. 217 NOS. 1–4

17 March 2003

Diseases, Parasites and Predators

- Treatment of spionid mud worm (*Boccardia knoxi* Rainer) infestation of cultured abalone
M. Leonart (King Meadows, Launceston, Tas., Australia), J. Handler (King Meadows, Tas., Australia) and M. Powell (Launceston, Tas., Australia) 1
- Characterization of chloramphenicol acetyltransferase gene by multiplex polymerase chain reaction in multidrug-resistant strains isolated from aquatic environments
M.H. Yoo, M.-D. Huh (Pusan, South Korea), E.-h. Kim (Cheonnam, South Korea), H.-H. Lee and H.D. Jeong (Pusan, South Korea) 11
- Application-dependent, laboratory-based validation of an enzyme-linked immunosorbent assay for *Aeromonas salmonicida*
D. Gilroy (Cork Institute of Technology, Ireland) and P. Smith (Galway, Ireland) 23
- Antibiotic resistance in bacteria isolated from hatchery-reared larvae and post-larvae of *Macrobrachium rosenbergii*
A.S. Sahul Hameed, K.H. Rahaman, A. Alagan (Tamil Nadu, India) and K. Yoganandhan (Chennai, India) 39
- A nondestructive tool for the measurement of muscle strength in juvenile oysters *Crassostrea gigas*
S.A. Poulet, J.-F. Lennon, F. Plouvenez, F. Jalabert, G. Correc, A. Cuffe and A. Lacoste (Roscoff, France) 49
- A simple analytical procedure to replace HPLC for monitoring treatment concentrations of chloramine-T on fish culture facilities
V.K. Dawson, J.R. Meinertz, L.J. Schmidt and W.H. Gingerich (La Crosse, WI, USA) 61
- Philasterides dicentrarchi* (Ciliophora, Scuticociliatida): experimental infection and possible routes of entry in farmed turbot (*Scophthalmus maximus*)
A. Paramá, R. Iglesias, M.F. Álvarez, J. Leiro (Santiago de Compostela, Spain), C. Aja (Lugo, Spain) and M.L. Sanmartín (Santiago de Compostela, Spain) 73
- Hybridization between the freshwater prawns *Macrobrachium rosenbergii* (De Man) and *M. carcinus* (L.)
C. Graziani, C. Moreno, E. Villarroel, T. Orta, C. Lodeiros and M. De Donato (Cumaná, Venezuela) 81

Genetics

- Comparison of growth performance, immunological response and genetic diversity of five strains of rainbow trout (*Oncorhynchus mykiss*)
K. Overturf, M.T. Casten (Hagerman, ID, USA), S.L. LaPatra (Buhl, ID, USA), C. Rexroad III (Kearneysville, WV, USA) and R.W. Hardy (Hagerman, ID, USA) 93
- Efficient detection of parentage in a cultured Japanese flounder *Paralichthys olivaceus* using microsatellite DNA marker
M. Hara (Nansei, Japan) and M. Sekino (Shiogama, Japan) 107

Genetic variation between four species of Indian major carps as revealed by random amplified polymorphic DNA assay H.K. Barman, A. Barat, B.M. Yadav, S. Banerjee, P.K. Meher, P.V.G.K. Reddy and R.K. Jana (Orissa, India)	115
Husbandry and Management	
Evaluation of methods for determining the prevalence of blood spots in smoked Atlantic salmon and the effect of exsanguination method on prevalence of blood spots D.H.F. Robb, A.J. Phillips and S.C. Kestin (Bristol, UK)	125
Developing farming structures for production of biologically active sponge metabolites A.R. Duckworth and C.N. Battershill (Wellington, New Zealand)	139
The gametogenic cycle of <i>Scrobicularia plana</i> (da Costa, 1778) (Mollusc: Bivalve) in Guadalquivir estuary (Cádiz, SW Spain) A. Rodríguez-Rúa, M.A. Prado, Z. Romero (Seville, Spain) and M. Bruzón (El Puerto de Santa Maria, Spain)	157
Effects of the dinoflagellate <i>Alexandrium tamarense</i> on early development of the scallop <i>Argopecten irradians concentricus</i> T. Yan, M. Zhou, M. Fu, R. Yu, Y. Wang and J. Li (Qingdao, PR China)	167
The Feasibility of industrial production of <i>Spirulina</i> (<i>Arthrospira</i>) in Southern Spain C. Jiménez, B.R. Cossio, D. Labella and F. Xavier Niell (Málaga, Spain)	179
Seasonal variations in chemical and sensory characteristics of farmed and wild Atlantic halibut (<i>Hippoglossus hippoglossus</i>) G.B. Olsson, R.L. Olsen, M. Carlehög (Tromsø, Norway) and R. Ofstad (Ås, Norway)	191
Treatment of rainbow trout farm effluents in constructed wetland with emergent plants and subsurface horizontal water flow C. Schulz, J. Gelbrecht and B. Rennert (Berlin, Germany)	207
Ingestion rates of <i>Artemia</i> nauplii for different larval stages of <i>Macrobrachium rosenbergii</i> H.P. Barros (São Paulo, Brazil) and W.C. Valenti (Jaboticabal, Brazil)	223
Physical, chemical and biological characteristics of distinctive regions in paddlewheel aerated shrimp ponds P.C. Delgado (Columbia, SC, USA), Y. Avnimelech (Haifa, Israel), R. McNeil (Calverton, MD, USA), D. Bratvold, C.L. Browdy (Bluffton, SC, USA) and P. Sandifer (Columbia, SC, USA)	235
Vulnerability of Pacific threadfin juveniles to predation by bluefin trevally and hammerhead shark: size dependent mortality and handling stress R. Masuda and D.A. Ziemann (Waimanalo, HI, USA)	249
Fertilization, larval rearing and post-larval growth of the Tehuelche scallop <i>Aequipecten tehuelchus</i> D'Orb., 1846 M.A. Narvarte and M.S. Pascual (Rio Negro, Argentina)	259
Growth of <i>Oreochromis aureus</i> fed with diets containing graded levels of coffee pulp and reared in two culture systems J.B. Ulloa Rojas (Heredia, Costa Rica) and J.A.J. Verreth (Wageningen, The Netherlands)	275
Appraising zinc bioaccumulation in abalone <i>Haliotis diversicolor supertexta</i> and alga <i>Gracilaria tenuistipitata</i> var. <i>liui</i> by probabilistic analysis C.-M. Liao, M.-P. Ling (Taipei, Taiwan, ROC) and J.-S. Chen (Kaohsiung, Taiwan, ROC)	285
Growth advantages of ear hanging compared to cage culture for sea scallops, <i>Placopecten magellanicus</i> J. Grant (Halifax, Nova Scotia, Canada), C.W. Emerson (Bethesda, MD, USA; Halifax, Nova Scotia, Canada), A. Mallet and C. Carver (Dartmouth, Nova Scotia, Canada)	301
Aspects of the biology and ecology of the brown tiger prawn, <i>Penaeus esculentus</i> , relevant to aquaculture S.J. Keys (Cleveland, Australia)	325
Growth and gametogenesis in the lion-paw scallop <i>Nodipecten</i> (<i>Lyropecten</i>) <i>subnodosus</i> I.S. Racotta, J.L. Ramirez, A.M. Ibarra, M.C. Rodríguez-Jaramillo, D. Carreño and E. Palacios (La Paz, Mexico)	335

Physiological ecology and possible control strategy of a toxic marine dinoflagellate, <i>Amphidinium</i> sp., from the benthos of a mariculture pond J.J. Lee (New York, NY, USA), M. Shpigel (Eilat, Israel), S. Freeman (New York, NY, USA), O. Zmora (Eilat, Israel), S. Mcleod, S. Bowen, M. Pearson and A. Szostek (New York, NY, USA).	351
Suitability studies of inland well waters for <i>Litopenaeus vannamei</i> culture I.P. Saoud, D.A. Davis and D.B. Rouse (Auburn, AL, USA)	373
Control of the herbivorous isopod, <i>Paridotea reticulata</i> , in <i>Gracilaria gracilis</i> tank cultures A.J. Smit, A.M. Fourie, B.L. Robertson and D.R. du Preez (Port Elizabeth, South Africa)	385
Hybrid catfish (<i>Clarias macrocephalus</i> × <i>C. gariepinus</i>) and Nile tilapia (<i>Oreochromis niloticus</i>) culture in an integrated pen-cum-pond system: growth performance and nutrient budgets Y. Yi, C.K. Lin (Pathum Thani, Thailand) and J.S. Diana (Ann Arbor, MI, USA)	395
Economic optimization modeling of white sturgeon (<i>Acipenser transmontanus</i>) caviar and meat production under different management conditions B.J. Sanders, J.G. Fadel and E.M. Wade (Davis, CA, USA)	409
Effects of light path lengths and initial culture density on the cultivation of <i>Chaetoceros muelleri</i> (Lemmermann, 1898) T. Göksan, Y. Durmaz and Ş. Gökpinar (İzmir, Turkey)	431
Nutrition	
Impact of algal diets and emulsions on the fatty acid composition and content of selected tissues of adult broodstock of the Chilean scallop <i>Argopecten purpuratus</i> (Lamarck, 1819) M. Caers, P. Coutteau, P. Sorgeloos (Ghent, Belgium) and G. Gajardo (Osorno, Chile)	437
Influence of protein/energy ratio on carcass quality during the growing period of Eurasian perch (<i>Perca fluviatilis</i>) N. Mathis, C. Feidt and J. Brun-Bellut (Nancy, France)	453
Total replacement of fish oil by soybean or linseed oil with a return to fish oil in turbot (<i>Psetta maxima</i>): 1. Growth performance, flesh fatty acid profile, and lipid metabolism C. Regost, J. Arzel, J. Robin (Plouzané, France), G. Rosenlund (Stavanger, Norway) and S.J. Kaushik (Saint Pée-sur-Nivelle, France)	465
Optimal dietary protein level for juvenile southern rock lobster, <i>Jasus edwardsii</i> , at two lipid levels L.R. Ward, C.G. Carter (Launceston, Tas., Australia), B.J. Crear (Hobart, Tas., Australia) and D.M. Smith (Cleveland, Que., Australia)	483
Finding new diatoms for intensive rearing of the pacific oyster (<i>Crassostrea gigas</i>): energy budget as a selective tool L. Barillé (Nantes, France), J. Haure (Bouin, France), E. Pales-Espinosa and M. Morancáis (Nantes, France)	501
Responses of Nile tilapia (<i>Oreochromis niloticus</i>) fed diets containing different concentrations of moniliformin or fumonisin B ₁ N.A. Tuan, B.B. Manning, R.T. Lovell (Auburn, AL, USA) and G.E. Rottinghaus (Columbia, MO, USA)	515
Effects of ration level on immune functions in chinook salmon (<i>Oncorhynchus tshawytscha</i>) S.W. Alcorn, R.J. Pascho, A.L. Murray and K.D. Shearer (Seattle, WA, USA)	529
The influence of temperature and ration on growth, feed conversion, body composition and nutrient retention of juvenile turbot (<i>Scophthalmus maximus</i>) E.H. Van Ham (Nijmegen, The Netherlands), M.H.G. Berntssen (Bergen, Norway), A.K. Imsland (Reykjavík, Iceland), A.C. Parpoura (Mesolonghi, Greece), S.E. Wendelaar Bonga (Nijmegen, The Netherlands) and S.O. Stefansson (Bergen, Norway)	547
Excess dietary arginine affects urea excretion but does not improve N utilisation in rainbow trout <i>Oncorhynchus mykiss</i> and turbot <i>Psetta maxima</i> V. Fournier (Saint Pée sur Nivelle, France), M.F. Gouillou-Coustans, R. Métailler (Plouzané, France), C. Vachot (Saint Pée sur Nivelle, France), J. Moriceau, H. Le Delliou, C. Huelvan, E. Desbruyeres (Plouzané, France) and S.J. Kaushik (Saint Pée sur Nivelle, France)	559

The effect of dietary phosphatidylcholine on the assimilation and distribution of ingested free oleic acid (18:1n-9) in gilthead seabream (<i>Sparus aurata</i>) larvae E. Hadas, W. Koven (Eilat, Israel), D. Sklan (Rehovot, Israel) and A. Tandler (Eilat, Israel)	577
Effects of feeding rate on growth performance of white sturgeon (<i>Acipenser transmontanus</i>) larvae D.-F. Deng (Davis, CA, USA), S. Koshio, S. Yokoyama (Kagoshima, Japan), S.C. Bai (Busan, South Korea), Q. Shao (Hangzhou, China), Y. Cui (Hubei, China) and S.S.O. Hung (Davis, CA, USA) . .	589
Evaluation of nutritional quality of moringa (<i>Moringa oleifera</i> Lam.) leaves as an alternative protein source for Nile tilapia (<i>Oreochromis niloticus</i> L.) N. Richter, P. Siddhuraju and K. Becker (Stuttgart, Germany)	599
Supplementation of EPA and DHA emulsions to a <i>Dunaliella tertiolecta</i> diet: effect on growth and lipid composition of scallop larvae, <i>Argopecten purpuratus</i> (Lamarck, 1819) N. Nevejan (Osorno Chile; Ghent Belgium), I. Saez, G. Gajardo (Osorno, Chile) and P. Sorgeloos (Ghent, Belgium)	613
Physiology and Endocrinology	
Effects of photoperiod and light intensity on growth and activity of juvenile haddock (<i>Melanogrammus aeglefinus</i>) E.A. Trippel and S.R.E. Neil (St. Andrews, New Brunswick, Canada)	633
Feed intake, growth and ionoregulation in Atlantic salmon (<i>Salmo salar</i> L.) smolts in relation to dietary addition of a feeding stimulant and time of seawater transfer H. Toften, A.M. Arnesen and M. Jobling (Tromsø, Norway)	647
Methodology for estradiol treatment in marine larval and juvenile fish: uptake and clearance in summer flounder J.L. Specker and M.K. Chandlee (Narragansett, RI, USA)	663
Short Communications	
Development of a saddleback-like syndrome in reared white seabream <i>Diplodus sargus</i> (Linnaeus, 1758) D.G. Sfakianakis, G. Koumoundouros, L. Anezaki, P. Divanach and M. Kentouri (Iraklion, Greece)	673
Isolation of a new serovar of <i>Vibrio vulnificus</i> pathogenic for eels cultured in freshwater farms B. Fouz and C. Amaro (Valencia, Spain)	677
Book reviews	
Design and operating guide for aquaculture seawater systems A. Kamstra (Ijmuiden, The Netherlands)	683
Edible Sea Urchins: Biology and Ecology S. Robinson (St. Andrews, New Brunswick, Canada)	684
Metal Toxicity to Fish S.E. Wendelaar Bonga and R.A.C. Lock (Nijmegen, Netherlands)	686
Applied Fish Pharmacology M. Algoet, DVM (Weymouth, UK)	687
Oceanography and Marine Biology. An Annual Review. Volume 40 L. de Groot (Brederoodseweg, The Netherlands)	689
Erratum	
Erratum to "Lordosis induction in juvenile red sea bream, <i>Paragus major</i> , by high swimming activity" [Aquaculture 212 (2002) 149–158] M. Kihara (Tsukuba, Japan), S. Ogata, N. Kawano, I. Kubota and R. Yamaguchi (Fukuoka, Japan)	691
Contents of Aquaculture, Volume 217	693